

NAME: GWM-0910 Slider Toroid Coil Winding Machine

SPECIFICATION:

Wire diameter	0.05—0.12	Max.winding speed	800rpm
Max.final coil.O.D	φ30 (80)	Wire spacing	Proportional linkage
Min.final coil.I.D	φ5	Supply voltage	AC 220V (50Hz)
Max.finalcoil height	15	Mechanical dimensions	550×500×580
Controller storage capacity Programs	29 set	Weight	83kg

FEATURES:


The Slider Toroid Coil Winding Machine are fast machines for mass production of small inductive components. Slider Coil Winding Machines utilize slider heads and belt heads to accommodate a wide range of core sizes and wire diameters. Main drive and core rotation are accomplished by powerful, long life AC motors and proportionally linked variable speed controllers. Slider Toroid Coil Winding Machine has separate speed controls for loading and winding. Programmable stepper motor driven core rotation in either direction with minimum backlash.

ADVANTAGES:

Complete range of articles, large range of wire diameter, Multipurpose
Good compatibility, parts are interchangeable
High stability, part quality guarantee
High production efficiency, no wire breaking at high speed winding
The Slider Toroid Coil Winding Machine is easy to operate, High learnability
Accessories general, easy to exchange
A short period of delivery: 10 days after receipt of payment
Enquiries can be quoted one day service

PRODUCT:







www.coilwindingmachine.com

APPLICATION:


Toroid Winding Machine is the best suited to toroidal inductor, toroidal transformers, toroidal current transformers, toroidal coil, toroid choke coil, power inductors, UPS inductor, converter inductor and heavy toroidal core etc.



PRACTICAL APPLICATION :

TRAINING CUSTOMER TO OPERATE WINDING MACHINE :

- 1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breakdown problem.
 - 2.Guide the user to use accurately and how to maintain the product.
- Provide free consultation about production process technology of electronic products.
- 3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English manual, video, guiding on line.



WhatsApp:+86 18622096679
Web: www.coilwindingmachinechina.com

PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

1.General package(Paper carton or plastic bag): For small equipped parts for The Slider Toroid Coil Winding Machine , Package it with form and pack paper to guarantee unbroken during the transport.

2.Wooden case package: For larger scale Slider Toroid Coil Winding Machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



OPTIONAL ACCESSORIES

NO.	NAME	MATERIAL NAME	QUANTITY	UNIT
1	NPN NPN SENSOR	2.2.10.002	1	PIECE
2	170 RED CLOTHING	3.1.02.11.149	3	PIECE
3	GREEN BUTTON	2.2.04.004	3	PIECE
4	RED BUTTON	2.2.04.003	2	PIECE
5	L-R SWITCH	2.2.04.005	2	PIECE
6	POTENITOMETER	2.2.16.003	1	PIECE
7	POWER SWITCH	2.2.04.002	1	PIECE
8	196XL MOTOR BETL	2.1.02.025	1	PIECE
9	GEARBOX BELTφ6mm(50CM)	2.1.04.005	0.5	M
10	SHUTTLE BELTφ3mm(1M)	2.1.04.002	1	M
11	SHUTTLE ROLLER	3.1.02.11.038	1	PIECE
12		3.1.02.11.049	3	PIECE
13		3.1.02.11.041	1	PIECE
14		3.1.02.11.013	1	PIECE
15	TENSION BOARD SPRING	2.1.11.004	1	PIECE
13		5.1.01.14.019	1	PIECE
14			1	PIECE
15		2.1.02.012	1	PIECE
19	MANUAL	5.04.01.102	1	PIECE
20	FLAT CORE ROLLER0966	3.2.06.044	2	PIECE
21	RAISED CORE ROLLER 0966	3.2.06.045	1	PIECE
22	WIRE SUPPORT	3.1.02.09.058	1	PIECE
23	MACHINE FOOT	2.1.17.028	4	PIECE

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015, CE approvals,Machines'Patents,"high-tech enterprises"by the government.

